

Version 1.0	Revision Date: 11/11/2020	SDS Number: 000000693517	Date of last issue: - Date of first issue: 11/11/2020						
SECTION 1. IDENTIFICATION									
Pre	oduct name	: RainBuster 34	5 White						
Pre	oduct code	: TOP345WHT							
Manufacturer or supplier's Company name of supplier			Inc.						
Address			15010 Keswick Street Van Nuys, CA 91405						
En	nergency telephone	: CHEMTREC:	CHEMTREC: +1-800-424-9300						
Recommended use of the c Recommended use		: Product for co	nstruction chemicals						
Restrictions on use		: Reserved for I	ndustrial and professional use.						

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Acute toxicity (Inhalation - vapour)	:	Category 4
Serious eye damage/eye irritation	:	Category 2A
Respiratory sensitization	:	Category 1
Skin sensitization	:	Category 1
Carcinogenicity	:	Category 2
Specific target organ toxicity - repeated exposure	:	Category 1 (Central nervous system)
GHS label elements		
Hazard pictograms	:	
Hazard pictograms Signal Word	:	Danger

/ersion .0	Revision Date: 11/11/2020	SDS Number: 000000693517	Date of last issue: - Date of first issue: 11/11/2020			
		H372 Causes of	ed of causing cancer. damage to organs (Central nervous system) ged or repeated exposure.			
Preca	autionary Statements	Prevention:				
Precautionary Statements		 Prevention: P280 Wear protective gloves/ protective clothing/ eye protection face protection. P271 Use only outdoors or in a well-ventilated area. P260 Do not breathe dust or mist. P201 Obtain special instructions before use. P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P202 Do not handle until all safety precautions have been read and understood. P284 In case of inadequate ventilation wear respiratory protection. P270 Do not eat, drink or smoke when using this product. P264 Wash face, hands and any exposed skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. 				
		 Response: P305 + P351 + P338 IF IN EYES: Rinse cautiously with wat for several minutes. Remove contact lenses, if present and o to do. Continue rinsing. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P314 Get medical advice/ attention if you feel unwell. P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor. P303 + P352 IF ON SKIN (or hair): Wash with plenty of soar and water. P333 + P311 If skin irritation or rash occurs: Call a POISON CENTER or doctor/physician. P362 + P364 Take off contaminated clothing and wash it be reuse. P337 + P311 If eye irritation persists: Call a POISON CENTER or doctor/physician. 				
		Storage: P405 Store loc	ked up.			
		Disposal: P501 Dispose of waste collection	of contents/container to appropriate hazardous n point.			
	r hazards known.					

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: Sealant

Components

rsion	Revision Date: 11/11/2020	SDS Number: 000000693517	Date of last issue: - Date of first issue: 11/11/2020
Chem	nical name	CAS-No.	Concentration (% w/w)
Limes	stone	1317-65-3	> 15 - < 20
Titani	um dioxide	13463-67-7	>= 3 - < 5
talc		14807-96-6	>= 3 - < 5
Stodd	lard solvent	8052-41-3	>= 1 - < 3
calciu	ım oxide	1305-78-8	>= 1 - < 3
	hoxy(3- nylmethoxy)propyl)sila	2530-83-8 ane	>= 0.3 - < 1
	ne-2,6-diisocyanate	91-08-7	>= 0.3 - < 1

SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Show this material safety data sheet to the doctor in attend- ance. Do not leave the victim unattended.
lf inhaled	:	Call a physician or poison control center immediately. If unconscious, place in recovery position and seek medical advice.
In case of skin contact	:	If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Induce vomiting immediately and call a physician. Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.
Most important symptoms and effects, both acute and delayed	:	May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficul- ties if inhaled. Suspected of causing cancer. Causes damage to organs through prolonged or repeated exposure.
Notes to physician	:	Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media :

Foam Dry powder

′ersio .0	on	Revision Date: 11/11/2020		S Number: 0000693517	Date of last issue: - Date of first issue: 11/11/2020			
				Water spray Carbon dioxide (C	:02)			
	Jnsuita nedia	ble extinguishing	:	High volume wate	r jet			
	Hazardous combustion prod- ucts		:	harmful vapours nitrogen oxides fumes/smoke carbon black				
F	Further information		:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circ cumstances and the surrounding environment.				
	Special protective equipment for fire-fighters		:	Wear self-contain essary.	ed breathing apparatus for firefighting if ne			
ЕСТ	TION 6.	ACCIDENTAL RELEA	ASE	MEASURES				
ti	Personal precautions, protec- tive equipment and emer- gency procedures		:	Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Ensure adequate ventilation.				
	Environmental precautions			D				
E	nviron_	mental precautions	:	Prevent further lea	om entering drains. akage or spillage if safe to do so. taminates rivers and lakes or drains inform ities.			

Advice on protection against fire and explosion	: Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Advice on safe handling	 Avoid formation of respirable particles. Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Version 1.0	Revision Date: 11/11/2020	SDS Number: 000000693517	Date of last issue: - Date of first issue: 11/11/2020
Co	nditions for safe storage	place. Observe labe Electrical inst	er tightly closed in a dry and well-ventilated precautions. allations / working materials must comply with ical safety standards.
Further information on stor- age conditions		place. Protect from (he original container in a cool, well-ventilated direct sunlight. ed against freezing.
Ma	terials to avoid	: Observe VCI	storage rules.
	ther information on stor- e stability	: No data availa	able

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
calcium oxide	1305-78-8	TWA value	2 mg/m3	ACGIHTLV
		REL value	2 mg/m3	NIOSH
		PEL	5 mg/m3	29 CFR 1910.1000 (Table Z-1)
		TWA value	5 mg/m3	29 CFR 1910.1000 (Table Z-1-A)
		TWA	2 mg/m3	ACGIH
		TWA	2 mg/m3	NIOSH REL
		TWA	5 mg/m3	OSHA Z-1
		TWA	5 mg/m3	OSHA P0
Limestone	1317-65-3	REL value (Respirable)	5 mg/m3	NIOSH
		REL value (Total)	10 mg/m3	NIOSH
		PEL (Respir- able fraction)	5 mg/m3	29 CFR 1910.1000 (Table Z-1)
		PEL (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1)
		TWA value (Respirable fraction)	5 mg/m3	29 CFR 1910.1000 (Table Z-1-A)
		TWA value (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1-A)
		TWA (total	15 mg/m3	OSHA Z-1

Ingredients with workplace control parameters

ersion .0	Revision Date: 11/11/2020	SDS Number: 000000693517	Date of last issue: - Date of first issue: 11/11/2020			
1		1		1	, I	
			dust)	E mag/mag	OSHA Z-1	
			TWA (respir- able fraction)	5 mg/m3	USHA Z-1	
			TWA (Total	15 mg/m3	OSHA P0	
			dust)	. e		
			TWA (respir-	5 mg/m3	OSHA P0	
			able dust			
			fraction)	E ma/m2	NIOSH REL	
			TWA (Res- pirable)	5 mg/m3 (Calcium car-	NIOSH REL	
				bonate)		
			TWA (total)	10 mg/m3	NIOSH REL	
				(Calcium car- bonate)		
Titani	ium dioxide	13463-67-7	TWA value	10 mg/m3	ACGIHTLV	
			PEL (Total	15 mg/m3	29 CFR	
			dust)		1910.1000	
				40	(Table Z-1)	
			TWA value (Total dust)	10 mg/m3	29 CFR 1910.1000	
			(Total dust)		(Table Z-1-	
			TWA (total	15 mg/m3	OSHA Z-1	
			dust) `	0		
			TWA (Total	10 mg/m3	OSHA P0	
			dust)	40 / 0		
			TWA	10 mg/m3	ACGIH	
talc		14807-96-6	TWA value	(Titanium dioxide) 2 mg/m3	ACGIHTLV	
laic		14007-00-0	(Respirable	z mg/mo	ACCIMEN	
			fraction)			
			TWA (Dust)	20 Million parti-	OSHA Z-3	
				cles per cubic foot		
			TWA (respir- able dust	2 mg/m3	OSHA P0	
			fraction)			
			TWA (Res-	2 mg/m3	NIOSH REL	
			pirable)			
			TWA	0.1 fibres per	ACGIH	
				cubic centimeter	100	
			TWA (Res-	2 mg/m3	ACGIH	
			pirable par- ticulate mat-			
			ter)			
Stode	dard solvent	8052-41-3	TWA value	100 ppm	ACGIHTLV	
			REL value	350 mg/m3	NIOSH	
			Ceil_Time	1,800 mg/m3	NIOSH	
			PEL	500 ppm	29 CFR	
				2,900 mg/m3	1910.1000 (Table Z-1)	
			TWA value	100 ppm	29 CFR	
				525 mg/m3	1910.1000	
					(Table Z-1-A	
			TWA	100 ppm	ACGIH	
			TWA	350 mg/m3	NIOSH REL	

ersion .0	Revision Date: 11/11/2020	SDS Number:Date of last issue: -000000693517Date of first issue: 11/11/2020					
		ĺ		C	1,800 mg/m3	NIOSH RE	
				TWA	500 ppm 2,900 mg/m3	OSHA Z-1	
				TWA	100 ppm 525 mg/m3	OSHA P0	
Engi	neering measures	:	Provide adeq concentration		t ventilation to control w	ork place	
Pers	onal protective equip	ment					
Resp	piratory protection	:	Wear approp may be excee		respirator when exposi	ure limits	
Hand	d protection						
R	emarks	:	The suitability with the produ	/ for a specifi ucers of the p	c workplace should be o protective gloves.	discussed	
Eye	protection	:	 Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems. 				
Skin	and body protection	:			ccording to the amount us substance at the wor		
Prote	ective measures	:	No special mo rectly. Handle in acc and safety pr	easures nece ordance with actice.	n, eyes and clothing. essary if stored and han n good building material othing is recommended	s hygiene	
Hygi	ene measures	:	When using o When using o Wash hands	lo not smoke		<day.< td=""></day.<>	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: paste
Color	: white
Odor	: mild
Odor Threshold	: No data available
рН	: neutral
Melting point	: No applicable information available.

Versio 1.0	on Revision Date: 11/11/2020			ate of last issue: - ate of first issue: 11/11/2020
E	Boiling point	:	No applicable inform	nation available.
F	Flash point	:	does not flash	
E	Evaporation rate	:	No applicable inform	nation available.
F	Flammability (solid, gas)			ests and criteria. Test N.1 (United Nations on the Transport of Dangerous Goods).
	Jpper explosion limit / Upper lammability limit	:	No applicable inform	nation available.
	ower explosion limit / Lower lammability limit	:	No applicable inform	nation available.
١	/apor pressure	:	No data available	
F	Relative vapor density	:	No applicable inform	nation available.
F	Relative density	:	No applicable inform	nation available.
[Density	: approx. 10.1 lb/USg (77		(77 °F / 25 °C)
5	Solubility(ies) Water solubility	:	insoluble (59 °F / 15	5 °C)
	Solubility in other solvents	:	No applicable inform	nation available.
	Partition coefficient: n- octanol/water	:	No applicable inform	nation available.
ŀ	Autoignition temperature	:	No applicable inform	nation available.
[Decomposition temperature	:	No decomposition if scribed/indicated.	stored and handled as pre-
١	/iscosity Viscosity, dynamic	:	No applicable inform	nation available.
	Viscosity, kinematic	:	No applicable inform	nation available.
E	Explosive properties	:	Not explosive	
(Oxidizing properties	:	Not an oxidizer.	
5	Self-heating substances	:	No data available	
S	Sublimation point	:	No applicable inform	nation available.
Ν	Molecular weight		No data available	

SECTION 10. STABILITY AND REACTIVITY

Vers 1.0	sion	Revision Date: 11/11/2020		S Number: 000693517	Date of last issue: - Date of first issue: 11/11/2020
	Reactiv	vity	:	No decompositio	on if stored and applied as directed.
	Chemical stability		:	No decomposition	on if stored and applied as directed.
	Possibility of hazardous reac- tions		:	No decompositio	on if stored and applied as directed.
	Conditi	ions to avoid	:	See SDS sectior	7 - Handling and storage.
	Incomp	oatible materials	:	Strong acids Strong bases Strong oxidizing Strong reducing	•
	Hazaro produc	lous decomposition ts	:	No hazardous de as prescribed/inc	composition products if stored and handled icated.

SECTION 11. TOXICOLOGICAL INFORMATION

Harmful if inhaled.

Skin corrosion/irritation

Not classified based on available information.

Product:

Remarks

: May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks

: May cause irreversible eye damage.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Product:

Remarks

: Causes sensitization.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Not classified based on available information.

Version	Revision Date:	SDS Number:	Date of last issue: -
1 0	11/11/2020	000000693517	Date of first issue: 11/11/2020
1.0	11/11/2020	00000093317	

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Causes damage to organs (Central nervous system) through prolonged or repeated exposure.

Aspiration toxicity

Not classified based on available information.

Components:

toluene-2,6-diisocyanate:

Not applicable

Further information

Product:

Remarks

: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity No data available Persistence and degradability No data available **Bioaccumulative potential** Components: Stoddard solvent: log Pow: 3.5 - 6.4 (68 °F / 20 °C) Partition coefficient: n-: octanol/water Method: Partition coefficient (n-octanol/water), HPLC method. toluene-2,6-diisocyanate: Partition coefficient: n-: log Pow: 3.74 octanol/water Method: other (calculated) Mobility in soil No data available Other adverse effects Product: Additional ecological infor-There is a high probability that the product is not acutely 2 harmful to aquatic organisms. mation The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

Version	Revision Date:	SDS Number:	Date of last issue: -	
1.0	11/11/2020	00000693517	Date of first issue: 11/11/2020	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	Do not discharge into drains/surface of Do not contaminate ponds, waterway cal or used container. Dispose of in accordance with nationa tions.	s or ditches with chemi-
Contaminated packaging	Contaminated packaging should be e and disposed of in the same manner stance/product.	

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

: The following components are subject to reporting levels established by SARA Title III, Section 313:

toluene-2,6- 91-08-7 diisocyanate

US State Regulations

Pennsylvania Right To Know

Titanium dioxide	13463-67-7
Limestone	1317-65-3
4-methyl-m-phenylene diisocyanate	584-84-9
toluene-2,6-diisocyanate	91-08-7
talc	14807-96-6
calcium oxide	1305-78-8
Stoddard solvent	8052-41-3
listed	

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/11/2020	000000693517	Date of first issue: 11/11/2020

New Jersey Right To Know

Titanium dioxide talc calcium oxide Stoddard solvent Limestone 4-methyl-m-phenylene diisocyanate toluene-2,6-diisocyanate listedSpecial Hazard. 13463-67-7 14807-96-6 1305-78-8 8052-41-3 1317-65-3 584-84-9 91-08-7

California Prop. 65


The ingredients of this product are reported in the following inventories:

TSCA	:	On the inventory, or in compliance with the inventory	

SECTION 16. OTHER INFORMATION


Further information

NFPA 704:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

29 CFR 1910.1000 (Table Z- 1-A)	:	OSHA - Table Z-1-A (29 CFR 1910.1000)
/	:	OSHA - Table Z-1 (Limits for Air Contaminants) 29 CFR 1910.1000
ÁCGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIHTLV	:	American Conference of Governmental Industrial Hygienists - threshold limit values (US)
NIOSH	:	NIOSH Pocket Guide to Chemical Hazards (US)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA P0	:	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-
		12 / 14

Version 1.0	Revision Date: 11/11/2020		9S Number: 0000693517	Date of last issue: - Date of first issue: 11/11/2020	
OSHA Z-3 29 CFR 1910.1000 (Table Z- 1-A) / TWA value 29 CFR 1910.1000 (Table Z- 1) / PEL		:			
ACGIH / TWA ACGIHTLV / TWA value NIOSH / Ceil_Time NIOSH / REL value NIOSH REL / TWA NIOSH REL / C OSHA P0 / TWA OSHA Z-1 / TWA			8-hour, time-weighted average Time Weighted Average (TWA): Ceiling Limit Value and Time Period (if specified): Recommended exposure limit (REL): Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek Ceiling value not be exceeded at any time. 8-hour time weighted average 8-hour time weighted average 8-hour time weighted average		

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials: bw - Body weight: CERCLA - Comprehensive Environmental Response. Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative

Revision Date

: 11/11/2020

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/11/2020	00000693517	Date of first issue: 11/11/2020

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS. DESIGNS. DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

US / EN