

Version 1.4	Revision Date: 02/02/2022	SDS Number: 000000641358	Date of last issue: 01/05/2021 Date of first issue: 04/27/2020			
SECTIO	N 1. IDENTIFICATION					
Pro	duct name	:RainBuster 900 V	/hite			
Pro	duct code	: TOP900WHT	: TOP900WHT			
Ма	nufacturer or supplier's	details				
Co	npany name of supplier	: Top Industrial, Ind	<b>).</b>			
Ado	lress	: 15010 Keswick S Van Nuys, CA 91				
Emergency telephone <b>Recommended use of the cl</b>		: CHEMTREC: 1-800-424-9300 chemical and restrictions on use				
	commended use strictions on use	:Sealant :Reserved for indu	strial and professional use.			

### SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)						
Serious eye damage/eye irritation	:	Category 2A				
Carcinogenicity	:	Category 2				
Specific target organ toxicity - repeated exposure	:	Category 1 (Central nervous system)				
Acute toxicity (Inhalation - vapour)	:	Category 4				
Respiratory sensitization	:	Category 1				
Skin sensitization	:	Category 1				
GHS label elements Hazard pictograms	:					
Signal Word	:	Danger				
Hazard Statements	:	H319 Causes serious eye irritation. H332 Harmful if inhaled. H334 May cause allergy or asthma symptoms or breathing diffi-				

Version 1.4	Revision Date: 02/02/2022	SDS Number: 000000641358	Date of last issue: 01/05/2021 Date of first issue: 04/27/2020
		H351 Suspected H372 Causes dar	an allergic skin reaction. of causing cancer. nage to organs (Central nervous system) d or repeated exposure.
Precautionary Statements		face protection. P271 Use only ou P260 Do not brea P201 Obtain spec P202 Do not hand and understood. P284 In case of in tion. P270 Do not eat, P264 Wash face, handling.	ctive gloves/ protective clothing/ eye protection/ tdoors or in a well-ventilated area. the dusts or mists. cial instructions before use. dle until all safety precautions have been read nadequate ventilation wear respiratory protec- drink or smoke when using this product. hands and any exposed skin thoroughly after ed work clothing should not be allowed out of
		Response: P305 + P351 + P3 for several minute to do. Continue rii P304 + P340 IF IN keep comfortable P314 Get medica P302 + P352 IF C P362 + P364 Tak reuse. P337 + P313 If ey tion.	NHALED: Remove person to fresh air and
		<b>Storage:</b> P405 Store locked	d up.
		<b>Disposal:</b> P501 Dispose of o waste collection p	contents/container to appropriate hazardous point.

## Other hazards

CONTAINS ISOCYANATES. INHALATION OF ISOCYANATE MISTS OR VAPORS MAY CAUSE RESPIRATORY IRRITATION, BREATHLESSNESS, CHEST DISCOMFORT AND REDUCED PULMONARY FUNCTION. OVEREXPOSURE WELL ABOVE THE PEL MAY RESULT IN BRONCHITIS, BRONCHIAL SPASMS AND PULMONARY EDEMA. LONG-TERM EXPOSURE TO ISOCYANATES HAS BEEN REPORTED TO CAUSE LUNG DAMAGE, INCLUDING REDUCED LUNG FUNCTION WHICH MAY BE PERMANENT. ACUTE OR CHRONIC OVEREXPOSURE TO ISOCYANATES MAY CAUSE SENSITIZATION IN SOME INDIVIDUALS, RESULTING IN ALLERGIC RESPIRATORY REACTIONS INCLUDING WHEEZING, SHORTNESS OF BREATH AND DIFFICULTY BREATHING. ANIMAL TESTS

Version	Revision Date:	SDS Number:	Date of last issue: 01/05/2021	
1.4	02/02/2022	000000641358	Date of first issue: 04/27/2020	

INDICATE THAT SKIN CONTACT MAY PLAY A ROLE IN CAUSING RESPIRATORY SENSITIZATION.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Polymer

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Limestone	1317-65-3	>= 15 - < 20
Titanium dioxide	13463-67-7	>= 3 - < 5
talc	14807-96-6	>= 3 - < 5
calcium oxide	1305-78-8	>= 1 - < 3
Stoddard solvent	8052-41-3	>= 1 - < 3
Bis[2-[2-(1-methylethyl)-3- oxazolidinyl]ethyl] hexan-1,2- diylbiscarbamate	59719-67-4	>= 1 - < 3
toluene-2,6-diisocyanate	91-08-7	>= 0.4 - < 0.5
trimethoxy(3- (oxiranylmethoxy)propyl)silane	2530-83-8	>= 0.3 - < 1

### **SECTION 4. FIRST AID MEASURES**

General advice	:	First aid personnel should pay attention to their own safety. Remove contaminated clothing.
If inhaled	:	Remove the affected individual into fresh air and keep the person calm. If breathing difficulties develop, aid in breathing and seek im- mediate medical attention.
In case of skin contact	:	Wash affected areas thoroughly with soap and water. If irritation develops, seek medical attention.
In case of eye contact	:	In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. Remove contact lenses. Immediate medical attention required.
If swallowed	:	Rinse mouth and then drink 200-300 ml of water. Do NOT induce vomiting. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Immediate medical attention required.
Most important symptoms and effects, both acute and delayed	:	May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficul- ties if inhaled. Suspected of causing cancer.

Version 1.4	Revision Date: 02/02/2022		S Number: 0000641358	Date of last issue: 01/05/2021 Date of first issue: 04/27/2020
			Causes dama exposure.	ge to organs through prolonged or repeated
Notes	s to physician	:	Treat symptom	natically.
SECTION	5. FIRE-FIGHTING ME	ASUF	RES	
Suital	ble extinguishing media	:	Foam Water spray Dry powder Carbon dioxide	∋ (CO2)
Unsu media	itable extinguishing a	:	water jet	
Haza ucts	rdous combustion prod-	:	nitrous gases fumes/smoke isocyanate vapor	
Furth	er information	:	Dispose of fire	rs cool by spraying with water if exposed to fire. debris and contaminated extinguishing water in th official regulations.
	ial protective equipment e-fighters	:	Firefighters sh apparatus and	ould be equipped with self-contained breathing turn-out gear.

#### Clear area. Personal precautions, protec- : tive equipment and emer-Ensure adequate ventilation. gency procedures Avoid dust formation. Wear suitable personal protective clothing and equipment. Environmental precautions Contain contaminated water/firefighting water. : Do not discharge into drains/surface waters/groundwater. Methods and materials for 1 Dike spillage. containment and cleaning up If temporary control of isocyanate vapor is required, a blanket of protein foam or other suitable foam (available from most fire departments) may be placed over the spill. Transfer as much liquid as possible via pump or vacuum device into closed but not sealed containers for disposal. Absorb isocyanate with suitable absorbent material (see § 40 CFR, sections 260, 264 and 265 for further information). Do not make container pressure tight. Move container to a well-ventilated area (outside). Add at a 10 to 1 ratio. Mixture of 90 % water, 5-8 % household ammonia, 2-5 % detergent. Allow to stand for at least 48 hours to allow escape of evolved carbon dioxide. Wash down spill area with decontamination solution.

/ersion .4	Revision Date: 02/02/2022	SDS Numbe 0000006413	
		Keep in s	uitable, closed containers for disposal.
ECTION	7. HANDLING AND ST	ORAGE	
	e on protection against nd explosion		st formation. appropriate exhaust ventilation at places where dust l.
Advice	e on safe handling	chines. Ensure th Avoid ae When ha be ventila Wear res Avoid co Danger c Protect a If bulging puncture	suitable exhaust ventilation at the processing ma- norough ventilation of stores and work areas. rosol formation. ndling heated product, vapours of the product should ated, and respiratory protection used. piratory protection when spraying. ntact with skin and eyes. of bursting when sealed gastight. gainst moisture. of drum occurs, transfer to well ventilated area, to relieve pressure, open vent and let stand for 48 fore resealing.
Conditions for safe storage		place. Observe Electrica	ntainer tightly closed in a dry and well-ventilated label precautions. l installations / working materials must comply with nological safety standards.
	er information on stor- onditions	place. Protect fi	y in the original container in a cool, well-ventilated rom direct sunlight. tected against freezing.
Recommended storage tem- perature		: 41 - 90 °	F / 5 - 32 °C

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
toluene-2,6-diisocyanate	91-08-7	С	0.02 ppm 0.14 mg/m3	OSHA Z-1
		TWA (Inhal- able fraction and vapor)	0.001 ppm	ACGIH
		STEL (Inhal- able fraction and vapor)	0.005 ppm	ACGIH
		TWA	0.005 ppm	OSHA P0

sion	Revision Date: 02/02/2022	SDS Number: 000000641358	Date of last issue: 01/05/2021 Date of first issue: 04/27/2020		
		I	1	0.04 mg/m3	1
			STEL	0.02 ppm 0.15 mg/m3	OSHA P0
calciu	ım oxide	1305-78-8	TWA	2 mg/m3	ACGIH
			TWA	2 mg/m3	NIOSH RE
			TWA	5 mg/m3	OSHA Z-1
			TWA	5 mg/m3	OSHA P0
Limes	stone	1317-65-3	TWA (total dust)	15 mg/m3	OSHA Z-1
			TWA (respir- able fraction)	5 mg/m3	OSHA Z-1
			TWA (Total dust)	15 mg/m3	OSHA P0
			TWA (respir- able dust fraction)	5 mg/m3	OSHA P0
			TWA (Res- pirable)	5 mg/m3 (Calcium car- bonate)	NIOSH RE
			TWA (total)	10 mg/m3 (Calcium car- bonate)	NIOSH RE
Titani	um dioxide	13463-67-7	TWA (total dust)	15 mg/m3	OSHA Z-1
			TWA (Total dust)	10 mg/m3	OSHA P0
			TWA	10 mg/m3 (Titanium dioxide)	ACGIH
talc		14807-96-6	TWA (Dust)	20 Million parti- cles per cubic foot	OSHA Z-3
			TWA (respir- able dust fraction)	2 mg/m3	OSHA P0
			TWA (Res- pirable)	2 mg/m3	NIOSH RE
			TWA	0.1 fibres per cubic centimeter	ACGIH
			TWA (Res- pirable par- ticulate mat- ter)	2 mg/m3	ACGIH
Stodd	lard solvent	8052-41-3	TWA	100 ppm	ACGIH
			TWA	350 mg/m3	NIOSH RE
			С	1,800 mg/m3	NIOSH RE
			TWA	500 ppm 2,900 mg/m3	OSHA Z-1
			TWA	100 ppm 525 mg/m3	OSHA P0

## Personal protective equipment

Respiratory protection

: When workers are facing concentrations above the occupational exposure limits they must use appropriate certified respirators.

When atmospheric levels may exceed the occupational ex-

Version 1.4	Revision Date: 02/02/2022	SDS Number: 000000641358	Date of last issue: 01/05/2021 Date of first issue: 04/27/2020			
		posure limit (PEL or TLV) NIOSH-certified air-purifying respi- rators equipped with an organic vapor sorbent and particulate filter can be used as long as appropriate precautions and change out schedules are in place. For emergency or non-routine, high exposure situations, in- cluding confined space entry, use a NIOSH-certified full face- piece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.				
Hand	protection					
Re	emarks	vent all skin co prene rubber (l	tant protective gloves should be worn to pre- ntact. Suitable materials may include chloro- Neoprene) nitrile rubber (Buna N) chlorinated olyvinylchloride (Pylox) butyl rubber depending s of use.			
Eye p	rotection		afety goggles (chemical goggles). Id if splashing hazard exists.			
Skin a	and body protection	skin contact. Suitable materi saran-coated n	n of the exposed skin as possible to prevent all ials may include naterial in conditions of use.			
Prote	ctive measures	Eye wash foun cessible.	e clothing as necessary to prevent contact. tains and safety showers must be easily ac- ppropriate PEL or TLV value.			
Hygie	ene measures	Hands and/or f the end of the Remove conta	o not eat, drink or smoke. ace should be washed before breaks and at shift. minated clothing immediately and clean before ose it if necessary.			

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	paste
Color	:	white
Odor	:	mild
Odor Threshold	:	not determined
рН	:	No data available
Melting point	:	No data available

Version 1.4	Revision Date: 02/02/2022		S Number: )000641358	Date of last issue: 01/05/2021 Date of first issue: 04/27/2020
Freez	Freezing point		No data available	9
Boilir	ng point	:	No data available	9
Flash	n point	:	does not flash	
Evap	oration rate	:	No data available	9
Flam	mability (solid, gas)	:		of tests and criteria. Test N.1 (United Nations ns on the Transport of Dangerous Goods).
Self-i	gnition	:	not self-igniting	
Uppe flamr	er explosion limit / Upper nability limit	:	No data available	9
	er explosion limit / Lower nability limit	:	No data available	9
Vapo	or pressure	: No data available		9
Relat	tive vapor density	:	: No data available	
Relat	tive density	:	No data available	9
Dens	ity	:	10.1 lb/USg (77	°F / 25 °C)
	bility(ies) /ater solubility	:	insoluble (59 °F	/ 15 °C)
Se	olubility in other solvents	:	No data available	9
	tion coefficient: n- nol/water	:	not applicable fo	r mixtures
Autoi	gnition temperature	:	No data available	9
Deco	mposition temperature	:	: No decomposition if stored and handled as pre- scribed/indicated.	
	Viscosity Viscosity, dynamic		Not applicable	
Vi	iscosity, kinematic	:	Not applicable	
Explo	Explosive properties		Not explosive	
Oxidi	zing properties	:	Not an oxidizer.	
Self-ł	neating substances	:	No data available	2

ersion .4	Revision Date: 02/02/2022		S Number: 000641358	Date of last issue: 01/05/2021 Date of first issue: 04/27/2020
Sublin	nation point	:	No data availabl	e
Molec	cular weight	:	No data availabl	e.
ECTION	10. STABILITY AND RE	ACT	ΊντΥ	
React	ivity	:	No hazardous re scribed/indicated	eactions if stored and handled as pre- l.
Chem	ical stability	:	The product is s scribed/indicated	table if stored and handled as pre- I.
tions Risk of bursting. Reacts with alcohols. Reacts with acids. Reacts with alkalies. Reacts with amines. Risk of exothermic reaction. Risk of polymerization. Contact with certain rubb ness of the substance/pr strength.		hols. ls. lies. nes. nic reaction.		
Condi	tions to avoid	:	Avoid moisture.	
Incom	patible materials	:	Acids Amines Alcohols Water Alkalines Strong bases Substances/pro	ducts that react with isocyanates.
Hazar produ	dous decomposition cts	:	gases/vapours Carbon oxides nitrogen oxides hydrogen cyanic Aromatic isocya	

## SECTION 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

Harmful if inhaled.

### Product:

Acute inhalation toxicity

: ATE: 14.8 mg/l Remarks: Determined for vapor

## Skin corrosion/irritation

Not classified based on available information.

ersion 4	Revision Date: 02/02/2022	SDS Number: 000000641358	Date of last issue: 01/05/2021 Date of first issue: 04/27/2020	
Serio	ous eye damage/eye	irritation		
Cause	es serious eye irritatio	on.		
Resp	iratory or skin sens	itization		
Skin	sensitization			
Mayo	cause an allergic skin	reaction.		
Resp	iratory sensitizatior	I		
Mayo	cause allergy or asthr	na symptoms or breath	ing difficulties if inhaled.	
Germ	cell mutagenicity			
Not classified based on available information.				
Carci	nogenicity			
Suspe IARC	ected of causing can		to humana	
IARC		up 2B: Possibly carcinogenic to humans nium dioxide	13463-67-7	
		Possibly carcinogenic		
		6-diisocyanate iisocyanates)	91-08-7	
NTP	Reasonab	ly anticipated to be a hu	uman carcinogen	
	toluene-2,	6-diisocyanate	91-08-7	
Repro	oductive toxicity			
Not d	lassified based on av	ailable information		

Not classified based on available information.

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

Causes damage to organs (Central nervous system) through prolonged or repeated exposure.

### Aspiration toxicity

Not classified based on available information.

### **Further information**

#### Product:

Remarks

: Health injuries are not known or expected under normal use. The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

### **SECTION 12. ECOLOGICAL INFORMATION**

Ecotoxicity		
Product:		
Ecotoxicology Assessment Acute aquatic toxicity	:	This product has no known ecotoxicological effects.
Chronic aquatic toxicity	:	This product has no known ecotoxicological effects.

Version 1.4	Revision Date: 02/02/2022		S Number: 0000641358	Date of last issue: 01/05/2021 Date of first issue: 04/27/2020	
	<b>sistence and degradabil</b> data available	lity			
	Bioaccumulative potential No data available				
	<b>bility in soil</b> data available				
Oth	er adverse effects				
	<u>duct:</u> ditional ecological infor- tion	:	The product has I	product into the environment without control. not been tested. The statements on ecotoxi- derived from the properties of the individual	

### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Dispose of in accordance with national, state and local regula- tions. Do not contaminate ponds, waterways or ditches with chemi- cal or used container. Do not discharge into drains/surface waters/groundwater.
Contaminated packaging	:	Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the sub-stance/product.

### SECTION 14. TRANSPORT INFORMATION

### **International Regulations**

### UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

### IMDG-Code

Not regulated as a dangerous good

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **Domestic regulation**

**49 CFR** Not regulated as a dangerous good

# Special precautions for user

Not applicable

Version	Revision Date:	SDS Number:	Date of last issue: 01/05/2021
1.4	02/02/2022	00000641358	Date of first issue: 04/27/2020

### SECTION 15. REGULATORY INFORMATION

### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
toluene-2,6-diisocyanate	91-08-7	100	21097
SARA 313		omponents are subject RA Title III, Section 3 <sup>4</sup>	t to reporting levels es- 13:
	toluene-2,6- diisocyanate	91-08-7	>= 0.1 - < 1 %

#### US State Regulations

#### Pennsylvania Right To Know

	Limestone	1317-65-3
	Titanium dioxide	13463-67-7
	talc	14807-96-6
	Stoddard solvent	8052-41-3
	calcium oxide	1305-78-8
	toluene-2,6-diisocyanate	91-08-7
	4-methyl-m-phenylene diisocyanate	584-84-9
Jers	sey Right To Know	
	Limestone	1317-65-3
	Titanium dioxide	13463-67-7
	talc	14807-96-6
	Stoddard solvent	8052-41-3
	calcium oxide	1305-78-8
	toluene-2,6-diisocyanate	91-08-7

### California Prop. 65

New

WARNING: This product can expose you to chemicals including Titanium dioxide, which is/are known to the State of California to cause cancer, and

toluene, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

#### The ingredients of this product are reported in the following inventories:

DSL	: This product contains one or more components listed on the Canadian NDSL. All other components are on the Canadian DSL.
TSCA	<ul> <li>All chemical substances in this product are either listed as active on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.</li> </ul>


#### TSCA list

The following substance(s) is/are subject to a Significant Nev	v Use Rule:
toluene-2,6-diisocyanate	91-08-7
4-methyl-m-phenylene diisocyanate	584-84-9

Version	Revision Date:	SDS Number:	Date of last issue: 01/05/2021
1.4	02/02/2022	000000641358	Date of first issue: 04/27/2020

The following substance(s) is/are subject to TSCA 12(b) export notification requirements: toluene-2,6-diisocyanate 91-08-7

### **SECTION 16. OTHER INFORMATION**



AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency

Version	Revision Date:	SDS Number:	Date of last issue: 01/05/2021	
1.4	02/02/2022	000000641358	Date of first issue: 04/27/2020	

Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

**Revision Date** 

: 02/02/2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN